

**Environmental Commission Meeting
Agenda
November 11, 2008
NO QUORUM – NO MEETING**

A. Open Meeting

Meeting is called to order at 7:30 p.m. and record keeper is selected. All laws governing the Open Public Meetings Act have been met and that this meeting had been duly advertised.

B. Minutes:

1. September 23, 2008
2. October 28, 2008

C. LOI Review

1. B. 13, L. 5
2. B. 63, L. 50
3. B. 32, L. 12
4. B. 34, L. 10
5. B. 63, L. 50

D. Correspondence:

1. Copy of letter addressed to Vita Mekovetz from Kleinfelder regarding Exxon Facility #33458
2. Copy of letter from State of NJ regarding B. 22, L. 22 underground storage heating oil tank
3. Copy of letter from State of NJ regarding underground storage heating oil tank located at 114 Dreahook Rd.
4. Copy of letter from State of NJ regarding remedial action report for 203 Johnson Rd.
5. Copy of letter from State of NJ regarding remedial action report for 10 Weather Hill Rd.
6. Copy of letter addressed to Vita Mekovetz from Harbor Consultants regarding B. 70, Lot 31.01
7. Thank you from URWA
8. Copy of letter from EcolSciences, Inc. regarding B. 4, L. 47, et als.
9. Copy of letter from State of NJ regarding hazardous substance discharge notification NJDEP Case #08-09-24-1644-43.
10. Copy of letter from State of NJ regarding hazardous substance discharge notification NJDEP Case #08-10-07-1241-47
11. Copy of letter from State of NJ regarding hazardous substance discharge notification NJDEP Case #08-10-06-0906-26
12. Copy of letter from State of NJ regarding Hazardous substance discharge Case #08-10-28-1010-24
13. Copy of letter from State of NJ regarding No further action letter and Covenant not to sue fro B. 8, L. 8
14. Letter from State NJ regarding B. 21.13, L. 9, et als. determination of wetland determination.
15. Copy of letter regarding suspected hazardous substance discharge

Case #08-10-24-1035-00

E Other Business:

None

F. Educational Opportunities

1. County of Hunterdon “what’s new in septic system technologies” scheduled for October 29, 2008.
2. ANJEC “Elements of Sustainability” scheduled for October 30, 2008, from 7-9:30 p.m. located at the Highland Park Borough Hall.
3. Annual Volunteer Monitoring Conference from South Branch

G. Site Plan Review and Comment

PLANNING BOARD – HEARING FILES

- 1 TC& D Builders, Inc.
Minor Subdivision
636 Old York Road
Block 97, Lot 4

PLANNING BOARD – COMPLETENESS FILES

None

BOARD OF ADJUSTMENT – HEARING FILES

1. Hanna Saqa
Variance and minor subdivision
Block 75, Lot 33
2. Winfield Management Corp.
Preliminary-Final Site Plan &
Use Variance
Action date: December 19, 2008

BOARD OF ADJUSTMENT – COMPLETENESS FILES

1. Cellco Partnership d/b/a Verizon Wireless
Preliminary-Final Site Plan &
Use Variance
291 US Rt. 22

Action date: November 28, 2008

H. Publications

none

I. Minutes

Board of Adjustment
Planning Board

J. Soil Conservation Reports

1. HCSCD regarding Whitehouse Prep. School, B. 36, L. 96 “Okay to issue building permit”
2. HCSCD regarding Readington Manors, B. 42, L. 17.04 “Okay to issue building permit”
3. HCSCD regarding Brown Addition, B. 50, L. 3 “Letter of certification”
4. HCSCD regarding Ferreira, B. 39, L. 53.14 “Okay to issue building permit”
5. HCSCD regarding Rockaway Creek, B. 39, L. 57 “Report of Compliance”
6. HCSCD regarding Eng, B. 97, L. 2 “Report of Compliance”
7. HCSCD regarding Fiddler’s Elbow Golf improvement project B. 12, L. 15 “Report of Compliance”
8. HCSCD regarding Summer Road Soccer Fields, B. 75, L. 18 “Letter of Certification”
9. HCSCD regarding Merck, B. 4, L. 47-50 et als., “Letter of Recertification”
10. HCSCD regarding Accettola, B. 63, L. 11 “Report of Compliance”
11. HCSCD regarding Brown addition, B. 50, L. 3 “Report of Compliance”
12. HCSCD regarding Kramer dwelling, B. 47, L. 13 “Confirmation of 48 hour notification of land disturbance”
13. HCSCD regarding Emmet residence, B. 12.01, L. 14.01 “Release of Idle Status – Okay to Issue Building Permit”
14. HCSCD regarding Hartman retail center/apartments, B. 36, L. 47 & 48 “Letter of Certification”

K. Public Comment

L. Adjournment